# Panasonic Telephone Systems

# **KX-TA824 Program Codes**

#### Panasonic KX-TA824, KXTA824, TA824

- [000] Date & Time
- [001] System Speed Dialing Number
- [002] System Password
- [003] DSS Console Jack Assignment
- [004] Console Paired Telephone
- [005] One-touch Transfer Using a DSS Button
- [006] Time Service Switching Mode
- [007] Time Service Start Time
- [008] Operator Assignment
- [009] Extension Number
- [010] LCD Time Display
- [011] System Speed Dialing Name
- [100] Hunting Group Set
- [101] Hunting Type
- [102] DTMF Integration Port [103] DTMF Integration
- [104] SLT Hold Mode
- [105] Conference Tone
- [106] External Pager Access Tone
- [107] DTMF Receiver Check
- [108] Flash/Recall Mode for a Locked Extension
- [109] CO Indicator
- [110] Flash/Recall Key Mode
- [111] Music on Hold
- [112] DSS Lamp Mode
- [115] Extension Ring Tone Pattern
- [117] Call Pickup Tone
- [118] Pulse Restriction
- [119] Redialing after Pulse to Tone Conversion
- [128] Ringback Tone Pattern
- [130] VM 1 APT Port
- [131] VM 2 APT Port
- [142] SLT Ring/Silence Ratio
- [143] SLT Ring Bell-on Time
- [150] SLT Caller ID Signaling Type
- [151] SLT Caller ID Line Access Number
- [152] Automatic Time Adjustment
- [200] Hold Recall Time
- [201] Transfer Recall Time
- [202] Call Forwarding Start Time
- [203] Hot Line Waiting Time
- [204] Call Duration Counter Start
- [205] CO-to-CO Line Call Duration
- [206] Dialing Start Time
- [208] Inter-digit Time
- [211] No Dial Disconnection
- [214] BV Recording Time
- [215] Common/Personal BV OGM Recording Time

## Panasonic KX-TA824 Programs

- [300] Carrier Exception Code [301] TRS—System Speed Dialing Class [302-305] TRS-COS 2-5 Denied Code [306] TRS-Exception Code [309] Emergency Number [310] Account Code [311] Automatic Pause Insertion Code [312] TRS—Extension Lock Class [400] CO Line Connection [401] Dial Mode [402] Pulse Speed [403] Host PBX Access Code [404] CO Line Group Number [405-407] Flexible Outward Dialing—Day/Night/Lunch [408-410] Flexible Ringing—Day/Night/Lunch [411-413] Delayed Ringing—Day/Night/Lunch [414-416] CO Line Mode—Day/Night/Lunch [417] Pause Time [418] Flash/Recall Time [419] Automatic Designated Line Access 44 [420] CPC Signal Detection—Incoming [421] CPC Signal Detection—Outgoing [422] Disconnect Time [423] CO Line Ring Tone Pattern [435] Local Carrier-based Voice Mail Signaling [436] Local Carrier-based Voice Mail Access Dial [437] Extension Access to Local Carrier-based Voice Mail [438-440] DISA IRNA to BV—Day/Night/Lunch [500] DISA Incoming Call Dial Mode [501] DISA Built-in AA [503] FAX Connection [504] DISA Delayed Answer Time [505] DISA Wait Time after OGM [506] DISA Busy Mode [507] DISA Intercept Mode [508] DISA Ring Time before Intercept [509] DISA Ring Time after Intercept [510] DISA No Dial Mode [511] DISA Security Mode
- [517] DISA AA Wait Time

[512] DISA Security Code [513] Cyclic Tone Detection [514] FAX Tone Detection

[518] DISA Tone after Security Code

[515] Intercept Time for Internal DISA [516] DISA Incoming Assignment

- [530] DISA Security Code Digits
- [531] DISA Ringback Tone
- [540-549] 3-level AA Assignment
- [599] Clear All OGMs of DISA

## Panasonic KX-TA824 Programs

[600] Extension Group [601-603] TRS-COS-Day/Night/Lunch [604] Extension Name [605] Account Code Mode [606] Call Transfer to CO Line [607] Call Forwarding to CO Line [608] Executive Busy Override [609] DND Override [610] Paralleled Telephone [611] TAM Extension [612] Room Monitor [615] LCD Language [617] Wireless PT Port Assignment [618] Message Waiting for Another Extension [619] SLT Message Waiting [620] LCS Recording Mode Set [621] BV Resource [622] BV for Extension [625] BV Access Code through CO Line [626] BGM Control for APT [627] SLT Ring Wait Time for New Call [628] SLT Caller ID [629] SLT Fixed Bell Pattern [700-702] Doorphone Ringing—Day/Night/Lunch [703-705] Door Opener—Day/Night/Lunch [706] Doorphone Ring Tone Pattern [707] Doorphone Access Tone [708] Doorphone Ring Time [709] Door Open Duration [710] Doorphone Ring/Chime [711] Doorphone Chime Assignment [712] Doorphone Chime Pattern [800] SMDR RS-232C Parameter [801] SMDR Parameter [802] Incoming/Outgoing Call Selection for Printing [803] Secret Number SMDR Print Suppression [804] System Data Dump [805] SMDR Account Code [806] SMDR Language [807] BV Total Recording Time [808] BV Card Initialization [900] Caller ID [901] Caller ID Area Code [902] Caller ID Modification for Local Calls [903] Caller ID Modification for Long-distance Calls [904] Caller ID Log Priority [906] Caller ID SMDR Format [907] Caller ID SMDR Printout [908] Call Waiting Caller ID Time [909] Common Area Call Log Check [913] Call Waiting Caller ID Assignment [914] Call Waiting Caller ID CAS Receive Time [915] Caller ID Checksum [963] Call Forwarding Selection

[966] TRS Check after Answering [967] TRS Check Time after Answering [968] KX-T7700 Series Incoming Lamp Control

[998] Firmware Version